



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/624,374	07/22/2003	David C. Baese	N9554	7669

7590 11/03/2005

WADDEY & PATTERSON
Bank of America Plaza
414 Union Street, Suite 2020
Nashville, TN 37219

EXAMINER

LU, JIPING

ART UNIT	PAPER NUMBER
----------	--------------

3749

DATE MAILED: 11/03/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	10/624,374	BAESE ET AL.	
	Examiner	Art Unit	
	Jiping Lu	3749	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 15 August 2005.
 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 27, 28 and 30-33 is/are pending in the application.
 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
 5) ☐ Claim(s) _____ is/are allowed.
 6) ☒ Claim(s) 27, 28 and 30-33 is/are rejected.
 7) ☐ Claim(s) _____ is/are objected to.
 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 a) ☐ All b) ☐ Some * c) ☐ None of:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
 * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 102/103

1. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
2. Claims 27-28 and 30 are rejected under 35 U.S.C. 102(b) as being anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over Ueki et al. (JP 02302556 A).

Ueki et al. shows a water heater apparatus comprising a burner 6; a primary heat exchanger 5 having an exterior surface exposed to the burner for receiving heat from the burner, and having an inner flow path for flowing water through the heat exchanger, the flow path having a water inlet and a water outlet (not numbered, see Fig. 1); a water supply conduit 1 connected to the water inlet; a water discharge conduit 18 connected to the water outlet; a recirculation conduit (not numbered, see Fig. 1) communicating the water outlet with the water inlet and bypassing the heat exchanger for directing recirculated water from the water outlet to the water inlet so that the recirculated water recirculates through the heat exchanger without having passed through any portion of the water discharge conduit 18 downstream of the recirculation conduit; a recirculation valve 21 disposed in the recirculation conduit; a water temperature sensor 3, 15 disposed in one of the inner flow path and the recirculation conduit; and a controller 12, operably associated with the temperature sensor 3, 15 and the recirculation valve 21, for varying a position of the recirculation valve in response to the water temperature sensor. The controller 12 of Ueki et al. is capable of maintaining the water temperature at the water inlet to the inner flow path of the heat exchanger at or above a selected temperature sufficient to

Art Unit: 3749

prevent condensation of combustion products from the burner on the exterior surface of the heat exchanger. Or in the alternative, it would have been an obvious matter of design choice to select the water temperature at any desired temperature in order to obtain the optimum result since applicant has not disclosed that the claimed temperature solves any stated problem in a new or unexpected way or is for any particular purpose which is unobvious to one of ordinary skill in the art and it appears that the claimed feature does not distinguish the invention over similar features in the prior art.

3. Claims 31-33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ueki et al. (JP 02302556 A) in view of McIlroy et al. (U. S. pat. 5,820,830)

The water heater of Ueki et al. as above includes all that is recited in claims 31-33 except for a secondary condensing heat exchanger with corrosion coating and a combustion conduit for using the combustion products to preheat the incoming water. McIlroy et al. teach a water heater apparatus having a secondary condensing heat exchanger 84 with corrosion-resistant coating (see claim 2) and a combustion conduit 80 for supplying exhaust flue gas to the secondary condensing heat exchanger 84 in order to preheat the incoming water 106 same as claimed. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the water heater apparatus of Ueki et al. to include a secondary condensing heater exchanger with corrosion-resistant coating and a combustion conduit as taught by McIlroy et al. in order to use exhaust flue gas to preheat the incoming water and therefore save the energy.

4. Claims 31-32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ueki et al. (JP 02302556 A) in view of Suhr et al. (U. S. Pat. 5,293,841)

The water heater of Ueki et al. as above includes all that is recited in claims 31-33 except for a secondary condensing heat exchanger with corrosion coating and a combustion conduit for using the combustion products to preheat the incoming water. Suhr et al. teach a water heater apparatus having a secondary condensing heat exchanger 14 and a combustion conduit 13 for supplying exhaust flue gas to the secondary condensing heat exchanger 14 in order to preheat the incoming water KSW same as claimed. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the water heater apparatus of Ueki et al. to include a secondary condensing heater exchanger and a combustion conduit as taught by Suhr et al. in order to use exhaust flue gas to preheat the incoming water and therefore save the energy.

5. Claim 33 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ueki et al. (JP 02302556 A) in view of Suhr et al. (U. S. Pat. 5,293,841) as applied to claim 32 above, and further in view of McIlroy et al. (U. S. Pat. 5,820,830)

The water heater apparatus of Ueki et al. as modified by Suhr et al. as above includes all that is recited in claim 33 except for the secondary condensing heat exchanger is coated with a corrosion resistant coating. McIlroy et al. teach a concept of providing coating on surfaces of the condensing heat exchanger for avoiding corrosion same as claimed. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the water heater apparatus of Ueki et al. to include a coating on the surfaces of the secondary condensing heat exchanger in order to avoid corrosion.

6. Claims 27-28 and 30 are rejected under 35 U.S.C. 102(b) as being anticipated by or, in the alternative, under 35 U.S.C. 103(a) as obvious over Kato (JP 60263048 A).

Kato shows a water heater apparatus comprising a burner 3; a primary heat exchanger 2 having an exterior surface exposed to the burner for receiving heat from the burner, and having an inner flow path for flowing water through the heat exchanger, the flow path having a water inlet and a water outlet (not numbered, see Figs. 1,3); a water supply conduit 5 connected to the water inlet; a water discharge conduit 16 connected to the water outlet; a recirculation conduit 10, 14 communicating the water outlet with the water inlet and bypassing the heat exchanger for directing recirculated water from the water outlet to the water inlet so that the recirculated water recirculates through the heat exchanger without having passed through any portion of the water discharge conduit 16 downstream of the recirculation conduit; a recirculation valve 36 disposed in the recirculation conduit; a water temperature sensor 9, 11 disposed in one of the inner flow path and the recirculation conduit; and a controller 18, operably associated with the temperature sensor 9, 11 and the recirculation valve 36 for varying a position of the recirculation valve in response to the water temperature sensor. The controller 18 of Kato is capable of maintaining the water temperature at the water inlet to the inner flow path of the heat exchanger at or above a selected temperature sufficient to prevent condensation of combustion products from the burner on the exterior surface of the heat exchanger. Or in the alternative, it would have been an obvious matter of design choice to select the water temperature at any desired temperature in order to obtain the optimum result since applicant has not disclosed that the claimed temperature solves any stated problem in a new or unexpected way or is for any particular purpose which is unobvious to one of ordinary skill in the art and it appears that the claimed feature does not distinguish the invention over similar features in the prior art.

7. Claims 31-33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kato (JP 60263048 A) in view of McIlroy et al. (U. S. pat. 5,820,830)

The water heater of Kato as above includes all that is recited in claims 31-33 except for a secondary condensing heat exchanger with corrosion coating and a combustion conduit for using the combustion products to preheat the incoming water. McIlroy et al. teach a water heater apparatus having a secondary condensing heat exchanger 84 with corrosion-resistant coating (see claim 2) and a combustion conduit 80 for supplying exhaust flue gas to the secondary condensing heat exchanger 84 in order to preheat the incoming water 106 same as claimed. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the water heater apparatus of Kato to include a secondary condensing heater exchanger with corrosion-resistant coating and a combustion conduit as taught by Kato in order to use exhaust flue gas to preheat the incoming water and therefore save the energy.

8. Claims 31-32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kato (JP 60263048 A) in view of Suhr et al. (U. S. Pat. 5,293,841)

The water heater of Kato as above includes all that is recited in claims 31-33 except for a secondary condensing heat exchanger with corrosion coating and a combustion conduit for using the combustion products to preheat the incoming water. Suhr et al. teach a water heater apparatus having a secondary condensing heat exchanger 14 and a combustion conduit 13 for supplying exhaust flue gas to the secondary condensing heat exchanger 14 in order to preheat the incoming water KSW same as claimed. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the water heater apparatus of Kato to

Art Unit: 3749

include a secondary condensing heater exchanger and a combustion conduit as taught by Suhr et al. in order to use exhaust flue gas to preheat the incoming water and therefore save the energy.

9. Claim 33 is rejected under 35 U.S.C. 103(a) as being unpatentable over Kato (JP 60263048 A) in view of Suhr et al. (U. S. Pat. 5,293,841) as applied to claim 32 above, and further in view of McIlroy et al. (U. S. Pat. 5,820,830)

The water heater apparatus of Kato as modified by Suhr et al. as above includes all that is recited in claim 33 except for the secondary condensing heat exchanger is coated with a corrosion resistant coating. McIlroy et al. teach a concept of providing coating on surfaces of the condensing heat exchanger for avoiding corrosion same as claimed. Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify the water heater apparatus of Kato to include a coating on the surfaces of the secondary condensing heat exchanger in order to avoid corrosion.

Response to Arguments

10. Applicant's arguments with respect to claims have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

11. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO


Art Unit: 3749

MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

12. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jiping Lu whose telephone number is 571 272 4878. The examiner can normally be reached on Monday-Friday, 9:00 AM - 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, EHUD GARTENBERG can be reached on 571 272-4828. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Jiping Lu
Primary Examiner
Art Unit 3749

J. L.